

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1487503	(Application ADJ Specific ADJ Integrated ADJ Circuit\$1) OR ASIC\$1 OR FPD\$1 OR SPLD\$1 OR CPLD\$1 OR FPGA\$1 OR PLA\$1 OR PAL\$1 OR GAL\$1 OR PROM\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 11:21
L8	22549	control\$3 near2 L7	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 11:21
L9	2406	((711/141) or (711/144) or (711/145) or (711/146)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/22 11:32
L10	1844	((711/147) or (711/148) or (711/152)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/22 11:32
L11	967	((711/120) or (711/119) or (711/130)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/22 11:36
L12	55	L8 AND L9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 11:36
L13	4	L8 AND L9 AND L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 11:36
L14	1201401	(operating ADJ system\$1) OR OS	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:14
L15	6787	L14 near4 (node\$1 OR cluster\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:13
L16	44	L15 AND L9 AND L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:33
L17	11	L15 AND L9 AND L10 AND L11	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:16
L18	1201401	(operating ADJ system\$1) OR "OS"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:15
L20	3223	(I/O) near4 (node\$1 OR cluster\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:17
L21	1	L17 NOT L20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:17
L22	7	L16 NOT L20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:17

L23	210	L15 AND L9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:33
L25	16	(L15 AND L9) NOT (L20 OR L16)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 12:34
L26	540417	(counter\$1 OR CNT OR CNTs)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:17
L27	93070	(local\$2 OR internal\$2) near5 (director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:21
L28	2522	L26 near7 L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:29
L29	1	L28 AND L9 AND L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:24
L30	28	L28 AND (L9 OR L10)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:36
L31	378	(number\$3 OR value\$1 OR amount\$1 OR quantit\$3 OR count\$3 OR tally\$1) near4 (cach\$3 near4 (node\$1 OR cluster\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:43
L32	119	L31 AND (L9 OR L10 OR L11)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:40
L33	20	L31 AND (L9 AND L10)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:41
L34	13402	(cach\$3 near4 ((other OR different OR separate OR another OR additional OR separate OR distinct OR distant)(node\$1 OR cluster\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:07
L35	355	L34 SAME L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:19
L36	98	L35 AND L9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:19
L37	18	L35 AND L9 AND L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:57
L38	6	((increment OR increase) near5 cach\$3) near5 L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:15

L39	162	L34 WITH L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:19
L40	54	L39 AND L9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:19
L41	46	L39 AND L9 NOT (L37)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:20
L42	4	(L26 near3 cach\$3) near4 L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:31
L43	5	((counter\$1 OR count\$3 OR CNT OR CNTs) near3 cach\$3) near4 L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:34
L44	17	((counter\$1 OR count\$3 OR CNT OR CNTs) near4 cach\$3) near4 L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:35
L46	45	((counter\$1 OR count\$3 OR CNT OR CNTs) near4 cach\$3) SAME L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:35
L47	10	L46 AND (L9 OR L10)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:35
L48	13	L46 AND (L9 OR L10 OR L11)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:35
L49	45	(number\$3 OR value\$1 OR amount\$1 OR quantit\$3 OR count\$3 OR tally\$1) near4 (cach\$3 near4 (data OR datum OR entr\$3 OR line\$1 OR block\$1 OR word\$1)) near4 L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:45
L50	11	L49 AND L9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 15:46
L51	274	(cach\$3 near4 ((other OR different OR separate OR another OR additional OR separate OR distinct OR distant) near4 (node\$1 OR cluster\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:15
L52	6	L51 SAME L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:16
L53	431	(cach\$3 near4 ((external\$2 OR remot\$2) near4 (node\$1 OR cluster\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:35
L54	57	L53 SAME L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:16

L55	40	L54 AND (L9 OR L10)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:17
L56	40	L54 AND (L9 OR L10) AND shar\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:17
L57	0	((number\$3 OR value\$1 OR amount\$1 OR quantit\$3 OR count\$3 OR tally\$1) near4 cach\$3) near4 ((external\$2 OR remot\$2) near4 (node\$1 OR cluster\$1))) SAME L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:36
L58	1	((number\$3 OR value\$1 OR amount\$1 OR quantit\$3 OR count\$3 OR tally\$1) near4 cach\$3) SAME ((external\$2 OR remot\$2) near4 (node\$1 OR cluster\$1))) SAME L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 16:36
S1	2	"20050120183"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/11/18 16:42
S4	1066	(711/141).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/18 16:44
S5	1345	((711/144) or (711/145)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/18 16:44
S6	1182	((711/146) or (711/120) or (711/130)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/18 18:12
S7	137447	(coherency OR consistency OR currency)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:21
S8	480	(coherency OR consistency OR currency) near2 controller	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 16:57
S9	104	S8 AND (S4 OR S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 16:57
S10	229	(coherency OR consistency OR currency) near1 controller	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:18
S11	51	S10 AND (S4 OR S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 17:09
S12	2364886	director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:19

S13	347323	(memory OR data OR datum) near3 (line\$1 OR block\$1 OR word\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:21
S14	48268	S13 near4 S12	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 17:21
S15	1316	NUMA	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 17:22
S17	1372	NUMA OR (Non ADJ Uniform ADJ Memory ADJ Access)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 17:25
S18	1371	NUMA OR (Non-Uniform ADJ Memory ADJ Access)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 17:25
S19	0	S18 NOT S17	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 17:25
S20	155	((cach\$3 near3 (coherency OR consistency OR currency)) near5 S17) OR ccNUMA	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 18:10
S21	46	S20 AND (S4 OR S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:16
S23	1559	((711/146) or (711/120) or (711/130) or (711/119)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/18 18:12
S24	39243	(tag\$1 OR flag\$1) near4 S12	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:19
S25	2496	S24 WITH ((access\$3 OR availabl\$3 OR use OR active OR activat\$3 OR cach\$3 OR dirty OR status) near3 (information OR info OR data OR status))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 18:22
S26	212	S25 AND (S4 OR S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/18 18:22
S27	20	S26 AND S17	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 11:34
S28	2547074	director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 13:40
S29	406	local\$2 near5 ((tag\$1 OR flag\$1) near3 S28)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:45

S30	5834	local near4 ((memory OR data OR datum) near3 (line\$1 OR block\$1 OR word\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 13:37
S31	137446	(coherency OR consistency OR currency)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:26
S32	1	(S29 SAME S30) SAME S31	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:27
S33	4	(S29 SAME S30) AND S31	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:31
S34	6	(S29 SAME S30)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:32
S35	6	(S29 SAME S31)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:32
S36	40759	local\$2 near5 (S28)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:50
S37	26	(S36 SAME S30) SAME S31	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:50
S38	25	((S36 SAME S30) SAME S31) NOT (S34 OR S35)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/19 12:51
S39	2400	((711/141) or (711/144) or (711/145) or (711/146)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/22 11:32
S40	1842	((711/147) or (711/148) or (711/152)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/22 11:32
S41	966	((711/120) or (711/119) or (711/130)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/22 11:32
S42	1	("6636926").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/21 12:00
S43	26715	("711").CLAS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/21 13:36
S44	82454	local\$2 near4 (data OR datum OR entr\$3 OR line\$1 OR block\$1 OR word\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:59
S45	2547074	director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 13:41

S46	92982	(local\$2 OR internal\$2) near5 (director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/22 14:20
S47	92827	(global\$2 OR external\$2 OR remote\$2) near5 (director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 13:45
S48	4445	(S46 SAME S44) AND S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:07
S49	1530	(S46 SAME S44) SAME S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:31
S50	72	S49 AND S39	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 13:46
S51	51	S49 AND S40	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 13:46
S52	33	S49 AND S41	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 13:46
S53	195	((control\$4 near4 S46) SAME S44) SAME S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:31
S54	18	S53 AND S39	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:34
S55	11	S53 AND S40	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:38
S56	13	S53 AND S41	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:38
S57	3	S53 AND S41 NOT (S54 OR S55)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:39
S58	54	S50 NOT (S54 OR S55 OR S56)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:48
S59	22	S51 NOT (S54 OR S55 OR S56 OR S50)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:48
S60	8	S52 NOT (S54 OR S55 OR S56 OR S50 OR S51)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 14:48

S61	6068	("not" near3 (cach\$3 OR dirty OR modif\$3 OR chang\$3)) OR MSI OR MESI OR MOESI	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:13
S62	11	(S46 SAME S61) AND S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:14
S63	3070279	((cach\$3 OR dirty OR modif\$3 OR chang\$3)) OR MSI OR MESI OR MOESI	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:13
S64	5792	(S46 SAME S63) AND S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:14
S65	2127	(S46 near5 S63) AND S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:15
S66	150	S65 AND S39	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:14
S67	260	((control\$4 near4 S46) near5 S63) AND S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:15
S68	79	((control\$4 near4 S46) near5 S63) SAME S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:16
S69	17	S68 AND S39	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:18
S70	6	S68 AND S40 NOT (S39)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:19
S71	3	S68 AND S41 NOT (S39 OR S40)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/21 15:19